EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	@ad<"20021031" and (execut$3 or run$4 or access$3 or activat$3) same (audio or sound or media) near3 (program or application or software) with (sound or content) with (associat$3 or correspond$3 or relat $3) with (message or signal) same (server or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:33
L2	3	@ad<"20021031" and (execut$3 or run$4 or access$3 or activat$3) same (audio or sound or media) near3 (program or application or software) with (sound or content or alert or warning) with (associat $3 or correspond$3 or relat$3) with (message or signal) same (server or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:34
L3	1	@ad<"20021031" and (servlet) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond $3 or relat$3 or accord $4) with (message or signal) same (client or user or subscriber or browser or pipe) and (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) near3 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:37

| L4 | 40 | @ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat$3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) near3 (program or application or software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:39 |
| L5 | 23 | @ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat$3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) near3 (program or application or software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:40 |

| L6 | 3 | @ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat $3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:42 |
| L7 | 3 | @ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat $3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:42 |

| L8 | 2 | 709/203.ccls. and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat $3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:44 |
| L9 | 0 | 709/217.ccls. and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat $3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:50 |

| L10 | 1 | 709/219.ccls. and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat $3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:51 |
| L11 | 0 | 709/230.ccls. and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat $3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/03 19:51 |

L12	1	"709"/$ and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat$3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:52
L13	0	"707"/$ and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat$3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:53

L14	0	"705"/$ and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat$3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:54
L15	0	"715"/$ and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat$3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:55

L16	0	"717"/$ and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or warning or notification or error) with (associat$3 or correspond$3 or relat$3 or accord$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut$3 or run$4 or access$3 or activat$3 or initiat$3 or perform$3 or us$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:56
S1	2	"6546554".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:33
S2	2	"5805442".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:34
S3	2	"6038486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:35
S4	2	"6061603".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:37
S5	2	"5928323".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:39

S6	2	"5895457".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:39
S7	2	"6049775".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
S8	2	"5980090".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
S9	1952	@ad<"20021031" and (web or server or servlet) with (send$3 or transmit$4 or transfer$4) with (alarm or notification) with (client or user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:45
S10	0	@ad<"20021031" and (servlet) with (send$3 or transmit$4 or transfer$4) with (audio or sound) near3 (alarm or notification) with (client or user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:45
S11	6	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3) with (audio or sound) near3 (alarm or notification) with (client or user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:48
S12	301	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:49

S13	0	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber) and (pipe same servlet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:50
S14	0	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber) and ((queue or pipe or bus) same servlet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:51
S15	9	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber) and ((queue or pipe or bus) same (writ$3 or insert$3 or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:54
S16	9	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber or browser) and ((queue or pipe or bus) same (writ$3 or insert$3 or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:55

S17	9	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber or browser) and ((queue or pipe or bus) same (writ$3 or insert$3 or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:55
S18	9	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((queue or pipe or bus) same (writ $3 or insert$3 or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:56
S19	68	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3) with (audio or sound) with (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((queue or pipe or bus) same (writ $3 or insert$3 or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:56

S20	23	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3) with (audio or sound) with (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((writ$3 or insert$3 or servlet) with (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:58
S21	25	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3) with (audio or sound) with (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((writ$3 or insert$3) same (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:59
S22	25	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound) with (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((writ$3 or insert$3) same (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 18:00

S23	24	@ad<"20021031" and (servlet or server) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or notification or error) near3 (message or signal) with (client or user or subscriber or browser or pipe) and ((writ$3 or insert$3) same (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 18:01
S24	4	@ad<"20021031" and (servlet) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or notification or error) near3 (message or signal) with (client or user or subscriber or browser or pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 18:06
S25	15	@ad<"20021031" and (servlet) with (send$3 or transmit$4 or transfer$4 or forward$3 or notif$4 or writ$3 or monitor$3) with (audio or sound or alarm or notification or error) near3 (message or signal) same (client or user or subscriber or browser or pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 18:06

4/3/2008 7:58:56 PM
C:\ Documents and Settings\ qnguyen4\ My Documents\ EAST\ Workspaces
\ 10697241_TransferringNotificationMessage.wsp